# NIMCET 2023 Toppers ASPIRE STUDY



35+ Students
Under Top 100

## QUE STUDY TANPUR

#### ASPIRE STUDY MCA ENTRANCE CLASSES

8400072444, 7007286637 www.aspirestudy.in

Kanpur , Uttar Pradesh - 208024

# Install Aspire Study APP PLAY STORE

# **NIMCET 2023**

## **ORIGINAL QUESTION PAPER**

Exam Date: 11-June-2023

NIT Jamshedpur

Online Course | Classroom Course | Test Series

8400072444, 7007286637

<u>www.aspirestudy.in</u> <u>www.myaspirestudy.com</u>

ASPIRE STUDY MCA Entrance Classes Kanpur www.aspirestudv.in 8400072444 | 7007286637

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

#### **MATHEMATICS**

- 1. Acircle touches the x-axis and also touches the circle with centre (0, 3) and radius 2. The locus of the centre of the circle is
  - (a) a circle
- (b) an ellipse
- (c) a parabola
- (d) a hyperbola
- 2. A computer producing factory has only two plants T<sub>1</sub> and T<sub>2</sub>. Plant T<sub>1</sub> produces 20% and plant T<sub>2</sub> produces 80% of total computers produced. 7% of computers produced in the factory turn out to be defective. It is known that P (computer turns out to be defective given that it is produced in plant  $T_1$  = 10P (computer turns out to be defective given that it is produced in plant  $T_2$ ). where P(E)denotes the probability of an event E. A computer produced in the factory is randomly selected and it does not turn out to be defective. Then the probability that it is produced in plant T<sub>2</sub> is

- 3. The mean of 5 observation is 5 and their variance is 124. If three of the observations are 1,2 and 6; then the mean deviation from the mean of the data is:
  - (a) 2.3
- (b) 2.6
- (c) 2.8
- (d) 2.4
- The perimeter of a  $\triangle ABC$  is 6 times the 4. arithmetic mean of the sines of its angles. If the side a is 1, then the angle A is

- (d)  $\pi$
- In an examination of nine papers, a 5. candidate has to pass in more papers than the number of papers in which he fails in order to be successful. The number of ways in which he can be unsuccessful is
  - (a) 255
- (b) 256

- (c) 128
- (d)  $9 \times 8!$
- For a group of 100 candidates, the mean and 6. standard deviation of scores were found to be 40 and 15 respectively. Later on, it was found that the scores 25 and 35 were misread as 52 and 53 respectively. Then the corrected mean and standard deviation corresponding to the corrected figures are
  - (a) 39.9, 14.79
- (b) 39.5, 14
- (c) 39.55, 14.97
- (d) 40.19, 15.1
- following 7. Consider frequency the distribution table.

Class Interv al	10- 20	20- 30	30- 40	40- 50	50- 60	60- 70	70- 80
Frequ ency	180	$f_1$	34	180	136	$f_2$	50

If the total frequency is 685 & median is 42.6 then the values of  $f_1$  and  $f_2$  are

- (a) 80, 25
- (b) 83, 22
- (c) 79, 26
- (d) 82, 23
- If  $f(x) = \lim_{x \to 0} \frac{6^{x} 3^{x} 2^{x} + 1}{\log_e 9(1 \cos x)}$  is a real number the  $\lim f(x)$  is
  - (a) 2

- (b) 3
- (c)  $\log_e 2$
- (d)  $\log_e 3$
- 9. The sum of infinite terms of decreasing GP is equal to the greatest value of the function  $f(x) = x^3 + 3x - 9$  in the interval [-2, 3] and difference between the first two terms is f'(0). Then the common ratio of the GP is

- (a)  $-\frac{2}{3}$  (b)  $\frac{4}{3}$ (c)  $+\frac{2}{3}$  (d)  $-\frac{4}{3}$ 10. The value of  $\int_{-\pi/3}^{\pi/3} \frac{x \sin x}{\cos^2 x} dx$  is
  (a)  $\frac{1}{3} (4\pi + 1)$  (b)  $\frac{4\pi}{3} 2 \log \tan \frac{5\pi}{12}$ (c)  $\frac{4\pi}{3} + \log \tan \frac{5\pi}{12}$  (d)  $\frac{4\pi}{3} \log \tan \frac{5\pi}{3}$

- 11. The equation of the tangent at any point of curve  $x = a \cos 2t$ ,  $y = 2\sqrt{2} \operatorname{asin} t$  with m as its slope is

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

(a) 
$$y = mx + a\left(m - \frac{1}{m}\right)$$

(b) 
$$y = mx - a\left(m + \frac{1}{m}\right)$$

(c) 
$$y = mx + a\left(1 + \frac{1}{a}\right)$$

(d) 
$$y = amx + a\left(m - \frac{1}{m}\right)$$

- 12. If  $\prod_{i=1}^n \tan(\alpha_i) = 1 \ \forall \ \alpha_i \in \left[0, \frac{\pi}{2}\right]$  where i =1,2,3,...n. Then maximum of value of  $\prod_{i=1}^n \sin \alpha_i$ 
  - (a)  $\frac{1}{2^n}$

(b)  $\frac{1}{2^{n/2}}$ 

(c) 1

- (d) None of these
- 13. A speaks truth in 60% and B speaks the truth in 50% cases. In what percentage of cases, they are likely in contradict each other while narrating some incident is

- 14. If  $\vec{a}$  and  $\vec{b}$  are vector in space, given by  $\vec{a} =$  $\frac{\hat{i}-2\hat{j}}{\sqrt{5}}$  and  $\vec{b}=\frac{2\hat{i}+\hat{j}+3\hat{k}}{\sqrt{14}}$ , then the value of

$$(2\vec{a} + \vec{b})$$
.  $[(\vec{a} \times \vec{b}) \times (\vec{a} - 2\vec{b})]$  is

(a) 3

(b) 4

(c) 5

- (d) 6
- 15. Let A = 2i + j 2k and B = i + j, If C is a vector such that |C - A| = 3 and the angle between  $A \times B$  and C is 30o, then  $[(A \times B) \times C] = 3$ then the value of  $\vec{A}$ .  $\vec{C}$  is equal to
  - (a) 25/8
- (b) 2

(c) 5

- (d) 1/8
- 16. Let A and B be sets.  $A \cap X = B \cap X = \phi$ and  $A \cup X = B \cup X$  for some set X, relation between A & B.
  - (a) A=B
- (b)  $A \cup B = X$
- (c) B = X
- (d) A = X
- 17. If a, b, c, d are in HP and arithmetic mean of ab, bc, cd is 9 then which of the following number is the value of ad?
  - (a) 3

(b) 9

- (c) 12
- (d) 4

- 18. Find foci of the equation  $x^2 + 2x 4y^2 +$ 8y - 7 = 0
  - (a)  $(\sqrt{5} \pm 1, 1)$
- (b)  $(-1 \pm \sqrt{5}, 1)$
- (c)  $(-1, \sqrt{5} \pm 1)$
- (d)  $(1, -1 \pm \sqrt{5})$
- 19. The locus of the mid-point of all chords of the parabola  $y^2 = 4x$  which are drawn through its vertex is
  - (a)  $y^2 = 8x$
- (b)  $y^2 = 2x$
- (a)  $y^2 = 8x$  (b)  $y^2 = 2x$ (c)  $x^2 + 4y^2 = 16$  (d)  $x^2 = 2y$
- 20. If  $\vec{a} = \hat{\imath} \hat{k}$  and  $\vec{b} = x\hat{\imath} + \hat{\jmath} + (1 x)\hat{k}$  and  $\vec{c} = y\hat{\imath} + x\hat{\jmath} + (1 + x - y)\hat{k}$ , then  $[\vec{a} \ \vec{b} \ \vec{c}]$ depends on
  - (a) Neither x nor y
- (b) Only x
- (c) Only y
- (d) Both x and y
- 21. If  $\vec{a}$ ,  $\vec{b}$  are unit vectors such that  $2\vec{a} + \vec{b} = 3$ then which of the following statement is true?
  - (a)  $\vec{a}$  is parallel to  $\vec{b}$
  - (b)  $\vec{a}$  is perpendicular to  $\vec{b}$ .
  - (c)  $\vec{a}$  is perpendicular to  $2\vec{a} + \vec{b}$
  - (d)  $\vec{b}$  is parallel to  $2\vec{a} + \vec{b}$
- 22.  $\int f(x)dx = g(x)$  then  $\int x^5 f(x^3)dx$

(a) 
$$\frac{1}{3}x^3g(x^3) - 3\int x^4g(x^3)dx + C$$

(b) 
$$\frac{1}{3}x^3g(x^3) - \int x^2g(x^3)dx + C$$

(c) 
$$\frac{1}{3}x^3g(x^3) - \int x^3g(x^3)dx + C$$

- (d) None of these
- 23.  $\lim_{x \to 1} \frac{x^4 1}{x 1} = \lim_{x \to k} \frac{x^3 k^2}{x^2 k^2}$  then find k

- 24. The graph of function  $f(x) = \log_e(x^3 +$  $\sqrt{x^6+1}$ ) is symmetric about:
  - (a) x-axis
- (b) y-axis
- (c) origin
- (d) y = x
- 25. If the equation  $|x^2 6x + 8| = a$  has four real solution then find the value of a?
  - (a)  $a \in 0$
- (b) a = 1

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

(c)  $a \in (0,1)$ 

(d)  $a \in [1,2]$ 

 $3\sin^2\theta + 2$ 

26. Largest value of  $\cos^2 \theta - 6 \sin \theta \cos \theta +$ 

(a) 4

(b) 0

(c)  $4 + \sqrt{10}$ 

(d)  $4\sqrt{10}$ 

27. Given to events A and B such that odd in favour A are 2 : 1 and odd in favour of  $A \cup B$ are 3:1. Consistent with this information the smallest and largest value for the probability of event B are given by

(a)  $\frac{1}{12} \le P(B) \le \frac{3}{4}$  (b)  $\frac{1}{3} \le P(B) \le \frac{1}{2}$ 

(c)  $\frac{1}{6} \le P(B) \le \frac{1}{3}$  (d) None of these

28. If A and B are square matrices such that  $B = -A^{-1} BA$ , then  $(A + B)^2$  is

(a) 0

(b)  $A^2 + B^2$ 

(c)  $A^2 + 2AB + B^2$ 

(d) A + B

29. A bag contain different kind of balls in which 5 yellow, 4 black & 3 green balls. If 3 balls are drawn at random then find the probability that no black ball is chosen

(d) None of these

30. Between any two real roots of the equation  $e^x \sin x = 1$ , the equation  $e^x \cos x = -1$ 

(a) Atleast one root (b) Exactly one root

(c) No root

(d) None of these

31. If f(x) is a polynomial of degree 4, f(n) = n + 1 & f(0) = 25, then find f(5) = ?

(a) 30

(b) 20

(c) 25

(d) None of these

32. The maximum value  $f(x) = (x-1)^2(x+1)^3$  is equal to  $\frac{2^{p_3q}}{3125}$ then the ordered pair of (p, q) will be

(a) (3,7)

(b) (7,3)

(c)(5,5)

(d)(4,4)

33. The coefficient of  $x^{50}$  in the expression of  $(1+x)^{1000} + 2x(1+x)^{999} + 3x^2(1+x)^{998} + \dots + 1001x^{1000}$ 

(a)  $^{1005}C_{50}$ 

(b)  $^{1005}C_{48}$ 

(c)  $^{1002}$ C<sub>50</sub>

(d) 1002C<sub>51</sub>

34. If  $x_k = \cos\left(\frac{2\pi k}{n}\right) + i\sin\left(\frac{2k\pi}{n}\right)$ , then  $\sum_{k=1}^{n} (x_k) = ?$ 

(a) 1

(b) - 1

(c) 0

(d) None of these

35. Number of points of which f(x) is not differentiable  $f(x) = |\cos x| + 3$  in  $[-\pi, \pi]$ 

(a) 2

(b) 3

(c) 4

(d) None of these

36. If  $n_1$  and  $n_2$  are the number of real valued solutions  $x = |\sin^{-1} x|$  &  $x = \sin(x)$ respectively, then the value of  $n_2$  –  $n_1$  is

(a) 1

(b) 0

(c) 2

(d)3

37. Let a, b, c, d be no zero numbers. If the point of intersection of the line 4ax + 2ay + c = 0& 5bx + 2by + d=0 lies in the fourth quadrant and is equidistance from the two are then

(a) a + b + c + d = 0

(b) ad - bc = 0

(c) 3bc - 2ad = 0

(d) 3bc + 2ad = 0

38. The negation of  $\sim S \vee (\sim R \wedge S)$ equivalent to

(a)  $S \vee (R \vee \sim S)$  (b)  $S \wedge \sim R$ 

(c)  $S \wedge R$ 

(d)  $S \wedge (R \wedge \sim S)$ 

39. A point P in the first quadrant, lies on  $y^2 = 4ax$ , a > 0, and keeps a distance of 5a units from its focus. Which of the following points lies on the locus of P?

(a) (1,0)

(b) (1,1)

(c)(0,2)

(d)(2,0)

40. If

 $\int x \sin x \sec^3 x \, dx = \frac{1}{2} \left[ f(x) \sec^2 x + \frac{1}{2} \right]$ 

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

 $g(x)\left(\frac{\tan x}{x}\right) + C$ , then which of the following is true?

- (a) f(x) g(x) = 0
- (b)  $f(x) \cdot g(x) = 0$
- (c) f(x) + g(x) = 0
- (d) f(x) + g(x) = 1

41.  $\theta = \cos^{-1}\left(\frac{3}{\sqrt{20}}\right)$  is the angle between  $\vec{a} =$  $\hat{i} - 2x\hat{j} + 2y\hat{k}$  &  $\vec{b} = x\hat{i} + \hat{j} + y\hat{k}$  then possible values at (x, y) that lie on the locus (a) (0,1)

- (b) (1,0)
- (c)(1,1)
- (d)(0,0)

42. Let R be reflexive relation on the finite set a having 10 elements and if m is the number of ordered pair in R, then

- (a)  $m \ge 10$
- (b) m = 100
- (c) m = 10
- (d)  $m \leq 10$

43. If  $|x-6| = |x^2-4x| - |x^2-5x+6|$ , where x is a real variable

- (a)  $x \in (2,5)$  (b)  $x \in [2,3] \cup [6,\infty)$
- (c) R [2,6]
- (d) None of these

44. The range of values of  $\theta$  in the interval  $(0, \pi)$ such that the points (3, 2) and  $(\cos \theta, \sin \theta)$ lie on the same sides of the line x + y - 1 =0, is

- (a)  $\left(0, \frac{3\pi}{4}\right)$  (b)  $\left(0, \frac{\pi}{2}\right)$  (c)  $\left(0, \frac{\pi}{3}\right)$  (d)  $\left(0, \frac{\pi}{4}\right)$

45. Which of the following number is the coefficient of  $x^{100}$  in the expansion of  $\log_e\left(\frac{1+x}{1+x^2}\right), |x| < 1?$ (a) 0.01 (b) 0.02
(c) -0.03 (d) -0.01

46. A real valued function f is defined as  $f(x) = \begin{cases} -1, & -1 \le x \le 0 \\ x - 1, & 0 \le x \le 2 \end{cases}$  . Which of the following statement is FALSE?

- (a) f(|x|) = |x| 1, if  $0 \le x \le 1$
- (b) |f(x)| = x 1,  $if 1 \le x \le 2$
- (c) f(|x|) + |f(x)| = 1, if  $0 \le x \le 1$
- (d) f(|x|) |f(x)| = 0, if  $1 \le x \le 2$

- 47. A line segment AB of length 10 meters is passing through the foot of perpendicular of a pillar, which is standing at right angle to the ground. Tip of the pillar subtends angles tan<sup>-1</sup> 3 and tan<sup>-1</sup> 2 at A and B respectively. Which of the following choice represents the height of the pillar?
  - (a) 10 meter
- (b) 8 meter
- (c) 12 meter
- (d) 15 meter

48. If a vector having magnitude of 5 units, makes equal angle with each of the three mutually perpendicular axes, then the sum of the magnitude of the projections on each of the axis is

- (a)  $\frac{15}{3}$  unit (b)  $5\sqrt{3}$  unit
- (c)  $\frac{15\sqrt{3}}{2}$  unit (d) None of these
- 49. Bag I contains 3 red, 4 black and 3 white balls and Bag II contains 2 red, 5 black and 2 white balls. One balls is transferred from Bag I to Bag II and then a ball is drawn from Bag II. The ball so drawn is found to be black in colour. Then the probability, that the transferred is red, is:

50. Let  $f(x) = \frac{(x^2-1)}{(|x|-1)}$ . Then the value of

- (a) 1
- (b) 1

(c) 2

(d)3

#### **Analytical Ability and Logical** Reasoning

51. Complete the series: 3, 10, 24, 45, 73, .....

(a) 69

- (b) 91
- (c) 108
- (d) 121

52. Pointing towards a person in photograph, Anjali said, "He is the only son of the father of my sister's brother". How is that person related to Anjali?

Y YOU

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

	(a) Father	(b) Mother		C joins then A and	C to work together in 2
	(c) Cousin	(d) None of these		days. In how many d	lays C alone do the work
53.	Book: Publisher:: Fi	lm:?		(a) 12 days	(b) 15 days
	(a) Director	(b) Producer		(c) 10 days	(d) 20 days
	(c) Editor	(d) Writer	61.	Thirty-six vehicles a	are parked in a parking
54.	A sum of money di	stributed among four		lot in a single row. A	fter the first car, there is
		tio 2 : 5 : 4 : 3. If Q get		one scooter. After the	he second car, there are
	Rs. 2000 more than S	, then what will be the		two scooters. After	the third car, there are
	total amount				so on. Work out the
	(a) 18000	(b) 16000			n the second half row
	(c) 14000	(d) 15000		(a) 15	(b) 17
55.	P, Q, R, S, T, U, V, W ar	e sitting around a table		(c) 12	(d) 10
	in the same order, for	or group discussion at	62.	_	distance of 75 metre
	equal distances.	Their position are			She then turned left and
	clockwise. If V sit in n	orth, then what will be		<u>o</u>	25 meter, turned left
	the position of 'S'				80 meters. Finally, she
	(a) East	(b) South			at an angle of 45°. In
	(c) South - East	(d) South - West			s she moving finally?
56.	If yellow is called v	white, white is called		(a) North – East	(b) North – West
		green, green is called		` 1	(d) South – West
	•	olue and blue is called	63.		of milk and water 10%
	water, what is the col			A	nilk should be added so
	(a) Black	(b) Water			of water in the mixture
	(c) White	(d) Blue		in the mixture come	
57.		ng can be formed from		(a) 120	(b) 80
	"RECCOMMENDATIO		C 1	(c) 90	(d) 60
	(a) MEDIATE	(b) COMMUNICATE	64.	•	esh – "I am as old as you
	(c) MEDICINE	(d) REMAINDER			e-third as you are". If the 60 year, find the present
58.	•	ıl words can be formed		age of the Mahesh (i	-
		rd, the seventh and the		(a) 45	(b) 36
		ord SEPERATION using		(c) 30	(d) 24
	each letter only once		65.	• •	ount at a certain rate of
	(a) 3	(b) 4	05.		nterest and he got 60%
<b>5</b> 0	(c) more than 4	(d) 2		-	8 years. If he invest Rs.
59.		he given options which			ate of interest on simple
	-	ries: 39, 416, 525,,			tal interest he would get
	749, 864	(b) 126		after four years.	
	(a) 439	(b) 436		(a) Rs. 2520	(b) Rs. 2260
60	(c) 636	(d) 644		(c) Rs. 2880	(d) Rs. 2160
60.	•	rk in 10 days and B can	66.	` '	dozen of Banana at the
	do a work in 20 days	after 4 days B left and		-	lozen. She sold each one

ASPIRE STUDY MCA Entrance Classes Kanpur www.aspirestudv.in 8400072444 | 7007286637

8400072444, 7007286637 www.aspirestudy.in

of them at the rate of Rs. 33. What was the percentage profit.


- (a) 12.3%
- (b) 5.6%
- (c) 6.5%
- (d) 10%
- 67. A university is offering elective courses in Mathematics, Economics and Sociology. Each of its 100 undergraduate students has to opt for at least one of these electives. Course enrollment data showed that 47 students enrolled for Mathematics, 47 students enrolled for Economics and 57 students enrolled for Sociology. If 7 students enrolled for all three courses, how many students enrolled for exactly one course?
  - (a) 60
- (b) 56
- (c) 58

- (d) Cann't say
- 68. Yamini has atleast two sister younger than her, Rakhi, Pooja, Yamini and Sweta are four sister. Pooja is younger than Rakhi who is not oldest. Sweta is older than Pooja but younger than Rakhi, then who is oldest among them?
  - (a) Sweta
- (b) Yamini
- (c) Pooja
- (d) Rakhi
- 69. Statements:

Statement I: At most teachers are boys. Statement II: Some boys are students.

#### **Conclusion:**

- I. Some teacher are students.
- II. Some students are boys.
- (a) Neither I or II follows
- (b) Neither I nor II follows
- (c) Only II follows
- (d) Only I follows
- 70. Identify the next two numbers in the following sequence: 17, 20, 9, 12, 5, 6, 3, 2, ?,
  - (a)(0,2)
- (b)(1,2)
- (c)(2,0)
- (d)(2,1)
- 71. Study the diagram and answer the question that follows:



(a) 16

(b) 31

Kanpur, Uttar Pradesh - 208024

(c) 15

- (d) 61
- 72. Three persons A, B and C are standing in queue. There are five persons between A and B and eight persons between B and C. If there are three persons ahead of C and 21 behind A, then what could be the minimum number of persons in the queue?
  - (a) 40
- (b) 27
- (c) 28
- (d) 41
- 73. Hemant deposits 10% of his salary in PF. He saves 30% of remaining salary. The ratio of his expenses on medicine and groceries is 3:4 of remaining salary after saving. If his expenses in medicine was Rs. 2700, then find his monthly salary.
  - (a) Rs. 30,000
- (b) Rs. 20,000
- (c) Rs. 10,000
- (d) Rs. 15,000
- 74. Rajdhani Train running at a speed of 54 km/hr crosses a platform of length same as that of the train in 36 sec. If a Duranto train, which is 230 meters long crosses the same platform in 25 sec, then find speed of Duranto train (in km/hr)?
  - (a) 54km/h
- (b) 72km/h
- (c) 84km/h
- (d) 90km/h
- 75. If 20 10 means 200,  $8 \div 4$  mean 12,  $6 \times 2$  means 4 then  $[(100 10) \times (1000 \div 1000)] + (100 \times 10) =$ 
  - (a) 20
- (b) 0
- (c) 1090
- (d) None of these

## \* KON

#### ASPIRE STUDY MCA ENTRANCE CLASSES

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

- 76. If DENMARK in coded on FCPKCPM Then code SINGAPORE of which option.
  - (a) UGPECNQPG
- (b) UGPFCNRPG
- (c) UGPEDNQTC
- (d) UGPECNQTC
- 77. In the given word "LAVISHLY" if all the consonants replaced with its previous letter and all the vowel replaced with its next letter after that remove all the repeated letter and arranged them in alphabetical order then, which of the following letters is 3rd from the left end
  - (a) R

(b) U

(c) J

- (d) G
- 78. In the half yearly exam only 60% of the student were passes. Out of these (passed in half-yearly) only 70% students are passed in annual exam, out of remaining students (who fail in half-yearly exam) 80% passed in annual exam. What percent of the students passed the annual exam?
  - (a) 76%
- (b) 72%
- (c) 74%
- (d) 65%
- 79. Arrange in correct order
  - (1) Database
  - (2) Analysis
  - (3) Survery
  - (4) Policy formation
  - (5) Interpretation
  - (a) 2, 1, 5, 3, 4
- (b) 5, 4, 3, 1, 2
- (c) 3, 1, 2, 4, 5
- (d) 3, 1, 2, 5, 4
- 80. Two friends A and B were standing at the diagonally opposite corners of a rectangular plot whose perimeter is 100m. A first walked x meters along the length of the plot towards East and then y meters towards the South. B walked x meters along the breadth towards North and then y meters towards West. At the end of their walks, A and B were standing at the diagonally opposite corners of a smaller rectangular plot whose perimeter is 40m. How much distance did A walk?

(a) 15

(b) 40

(c) 25

- (d) 50
- 81. On Monday, Akash run 4 km less than the distance he ran on Tuesday. Sanjay, who ran the same distance on Monday and Tuesday, ran 5 km more on Tuesday than the distance Akash ran on Monday. Find the difference between the distance covered by Akash and Sanjay over the two days.
  - (a) 5 km
- (b) 6 km
- (c) 4 km
- (d) 9 km
- 82. Statement:

No table is chair.

Not a single chair is stand.

Ever stand is statue.

#### Conclusion:

- 1. Some statue which are stand are table as well.
- 2. Some statue are not chair.
- (a) If neither conclusion 1 nor 2 follow
- (b) If only conclusion 1 follows
- (c) Only conclusion 2 follows
- (d) None of these
- 83. If the word IMPACT is coded as RNKZXG, then which of the following represents the code for the word DESCEND?
  - (a) WVHXVMW
- (b) MNBLNWM
- (c) MFBDFOM
- (d) MFBDNOM
- 84. A junior school is offering five after-school activities Karate, Handwork, Music Dance and Gymnastics. Each of the five students Leena, Megan, Neha, Omar and Pixia has subscribed to at least one activity. As per the school rules, anyone who subscribes to Gymnastics must also subscribe to Dance. Karate and Handwork must always be subscribed together. Music and Dance cannot be subscribed together.

The following information is available about the student's subscriptions.

• Megan subscribed to four activities.

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

•	Leena subscribed to Gymnastics but not
	Karate.

- Pixie subscribed to only one activity and is the only one subscribe to that activity.
- Omar subscribed to three activities.
- Neha subscribed to only one activity.

How many activities are subscribed by exactly two people each?

(a) 1

(b) 4

(c) 2

- (d) 3
- 85. If 'E' stands for +, 'F' stands for '-', 'M' stands for ' $\times$ ', 'N' stands for ' $\div$ ', then 19 M 5 E 39 N 3 F 8 = ?
  - (a) 105
- (b) 100

(c) 95

- (d) 90
- 86. In a reality show, two judges independently provided marks based on the performance of the participants. If the marks provided by the second judge are given by y = 1 + x, where x is the marks provided by the first judge. Then for a participant
  - (a) Ranks given by both the judge differ by 2
  - (b) Rank given by the second judge is more than that of the first judge
  - (c) Ranks given by both the judges are same.
  - (d) Rank given by the first judge is more than that of the second judge
- 87. Fill the blanks with the most appropriate combination of options.

Further, to augment bond market liquidity, corporates need to be encouraged to \_\_\_\_\_ exiting bonds under the same International Securities Identification

Number, to duly shore up floating \_\_\_\_\_

- (a) affect, negotiate
- (b) abandon, imply
- (c) precaution, abstract
- (d) reissue, stocks
- 88. A vessel contains total 95 litre mixture of milk & water in the ratio of 15 : 4 respectively P litre of mixture taken out

from the vessel and 18 litres water added in the remaining mixture, then the new ratio of milk to water becomes 3: 2, find the value of P?

- (a) 57
- (b) 19
- (c) 27.5
- (d) 38
- 89. For security reasons, a bank manager decided to encrypt the account number in the server. If A/C No. 46873 is coded as 91317157, then 52191 is coded as
  - (a) 4108041
- (b) 5219152
- (c) 1153193
- (d) 1043293
- 90. If 3 is subtracted from the middle digit of each of the following numbers and then the position of the digits are reversed, which of the following will be last digit of the middle number after they are arranged in descending order?

589 362 554 371 442

(a) 3


(b) 2

(c) 4

(d) 1

#### **Computer Awareness**

- 91. The maximum and minimum value represented in signed 16 bit 2's complement representations are
  - (a) -16684 and 16383
  - (b) 0 and 32767
  - (c) 0 and 65535
  - (d) -32678 and 32767
- 92. The time required for fetching & execution one machine instruction is
  - (a) Delay time
- (b) CPU cycle
- (c) Real time
- (d) Seek time
- 93. Consider the circuit shown below and find minimum number of NAND gates required to design it.



(a) 4


(b) 6

(c) 3

(d) 5

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024



- (a)  $2.50 \times 10^{-10}$ sec
- (b)  $4.0 \times 10^{-10} \text{sec}$
- (c)  $1.0 \times 10^{-10}$ sec
- (d)  $5.0 \times 10^{-10} \text{sec}$
- 95. Which of the following registers is used to keep track of address of memory location where the next instruction is located?
  - (a) Program counter
  - (b) Memory Address Register
  - (c) Memory data register
  - (d) Instruction counters
- 96. How many  $32K \times 1$  RAM chips are needed to provided a memory capacity of 256 K bytes?
  - (a) 8

(b) 128

(c) 64

- (d) 32
- 97. The number of minterms in a n variable truth table is
  - (a)  $n^2$

(b)  $(n-1)^2$ 

(c)  $2^{n}$ 

- (d)  $2^{n-1}$
- 98. A bulb in the staircase has two switches, one switch is at the ground floor and the other one is at the first floor. The bulb can be turned ON and also can be turned OFF by any of the switches irrespective of the state of the other switch. The logic of the switching of the bulb resembles.
  - (a) XOR Gate
- (b) AND Gate
- (c) OR Gate
- (d) XNOR Gate
- 99. What is a potential problem of 1's complement representation of numbers?
  - (a) Binary substructions are not possible
  - (b) There are two different representations of zero
  - (c) Multiplication of two numbers cannot be carried out
  - (d) Binary additions are not possible.
- 100. A wrong sentence related to FAT 32 and NTFS file system is

- (a) FAT 32 has lower disk utilization compared to NTFS
- (b) Read and Write speeds of NTFS are faster than that of FAT 32
- (c) FAT 32 store individual files of size up to 32 GB
- (d) NTFS stands for New Technology File System
- 101. Consider the following minterm expression for  $F: F(P, Q, R, S) = \Sigma 0, 2,5,7,8,10,13,15$ . The minters 2, 7, 8 and 13 are don't care terms. The minimal sum of products form for F is
  - (a)  $\bar{Q}S + Q\bar{S}$
  - (b)  $\bar{Q}\bar{S} + QS$
  - (c)  $Q\bar{R}\bar{S} + QR\bar{S} + Q\bar{R}S + QRS$
  - (d)  $\bar{P}\bar{Q}\bar{S} + \bar{P}QS + PQS + P\bar{Q}\bar{S}$
- 102. The reduced form of the Boolean function F = xyz + xyz' + x'yz + xy'z is
  - (a) xy + yz
- (b) x + yz + xz
- (c) x + y + z
- (d) xy + yz + xz
- 103. Suppose we have a 10-bit computer that uses 10-bit into (2's complement representation). The number representation of -35 is
  - (a) 0000100011
- (b) 1100100011
- (c) 1111011101
- (d) 1111011101
- 104. Consider the following Boolean expression for  $F: F(P, Q, R, S) = PQ + \bar{P}QR + \bar{P}Q\bar{R}S$ . The minimum sum of products form of F is
  - (a) PQ + QR + QS
  - (b) P + Q + R + S
  - (c)  $\bar{P} + \bar{Q} + \bar{R} + \bar{S}$
  - (d)  $\bar{P}R + \bar{P}\bar{R}S + P$
- 105. What is the name of the storage device that compensates the difference in rates of flow of data from one device to another?
  - (a) Cache
- (b) Buffer
- (c) Concentrator
- (d) RAM
- 106. Equivalent of the decimal number  $(25.375)_{10}$  in binary form
  - (a) (11001.011)<sub>2</sub>

TUDY X

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

- (b)  $(11101.011)_2$
- (c)  $(11011.111)_2$
- (d)  $(11001.101)_2$
- 107. A CPU generates 32-bit virtual addresses. The page size is 4 KB. The processor has a translation look-aside buffer (TLB) which can hold a total of 128 page table entries and is 4-way set associative. The minimum size of the TLB tag is:
  - (a) 13 bits
- (b) 20 bits
- (c) 11 bits
- (d) 15 bits
- 108. Which of the following is true about Von Newmann architecture?
  - (a) It has separate storage for input/output operations
  - (b) It has a separate processing unit for data and instructions
  - (c) It has separate memory for data and instructions
  - (d) It has a single memory unit for both data and instructions
- 109. Let ⊕ and ⊙ denote the Exclusive OR and Exclusive NOR operations respectively. Which one of the following is not correct?
  - (a)  $\bar{P} \oplus \bar{Q} = P \odot Q$
  - (b)  $\bar{P} \oplus Q = P \odot Q$
  - (c)  $\bar{P} \oplus \bar{Q} = P \oplus Q$
  - $(d)(P \oplus \bar{P}) \oplus Q = (P \odot \bar{P}) \odot \bar{Q}$
- 110. Suppose we have a 10-bit computer that uses 10-bit floating point computational unit (Flot number uses IEEE floating-point arithmetic where a floating point number has 1 sign bit, 5 exponent bits, and 4 fraction bits). The representation for (plus infinity) is
  - (a) 0 11111 0000
  - (b) 1 11111 0000
  - (c) 0 00000 1111
  - (d) 0 11111 1111

**English** 

Comprehension (101-102):

Science and religion – the two terms have come to signify a mutual antagonism. The two, it is commonly declared, are poles apart; their spheres of activity and their methods differ widely, so much so that they are considered to be irreconcilable.

On the face of it, science and religion appear to be the two opposite poles of man's Science is consciousness. basically concerned with the material world: its efforts are directed towards unraveling the "how" of reality while religion is concerned with the "why" of reality. Science deals with analyzing tangible entities into its minutest parts, and then arrives at conclusions about the way in which tangible realities are organized. While science is analytical, religion takes the ultimate reality for granted. Religion follows the metaphysical path; the concept of God is ultimately a matter of faith and it is this faith which is the basis of the religious man's attribution of a design or meaning for the reality.

The modes of action are different in science and religion. Science relies on experiment, whereas religion is based on experience. Any religious experience, whether it is Christ's or Ramakrishna's, is personaland subjective. Science, on the other hand, is marked by objectivity. Theory has to be corroborated by tangible proof. Science benefits mankind by providing material comforts. The frontiers of science do not end in knowledge but are extended to the formation of appliances for actual use. Science, it has been somewhat unfairly cultivates the materialistic charged, thinking. However, it has to be admitted that the mental attitude promoted by religion is entirely different, while the basis of scientific progress is unbridled curiosity and courageous endeavour, the truly religious

STATE STUDY

8400072444, 7007286637 www.aspirestudy.in

Kanpur, Uttar Pradesh - 208024

spirit cavils at such presumption that man's
mind can penetrate the mysteries of the
universe. Science promotes fearless inquiry
while an essential ingredient of religion is
the humility born of fear of God. Science
incorporates a love of experimental
knowledge, while religion does not believe
in the rational approach.
7471 1 1

- 111. Which of the following statements according to the passage is correct:
  - (a) The religious spirit assumes that human mind can penetrate the mysteries of the universe.
  - (b) Science follows the metaphysical path.
  - (c) Science believes in the humility born of fear of God.
  - (d) Religion believes in ultimate reality
- 112. Which of the following reasons according to the passage provide material comforts to people in case of science?
  - (a) Tangible proofs of the theories of science
  - (b) Materialistic thinking being cultivated by science
  - (c) Promotion of fearless inquiry by science
  - (d) The subjectivity of science
- 113. Select the most appropriate meaning of the underlined idiom in the given sentence:

  Off and on, I take a break from my hectic

schedule to refresh myself.

- (a) Periodically
- (b) Rarely
- (c) Seldom
- (d) Immediately
- 114. I have \_\_\_\_\_ umbrella. I bought it \_\_\_\_\_ year ago.
  - (a) A, An
- (b) An, A
- (c) An, The
- (d) Then, An
- 115. Synonym for "Nonplussed" is
  - (a) Flummoxed
- (b) Dumbfounded
- (c) Befuddled
- (d) Oriented
- 116. Select the most appropriate preposition to fill in the blank.

A baby sister is someone who look \_\_\_\_\_other people's children.

- (a) after
- (b) for
- (c) on

- (d) over
- 117. Select the most appropriate preposition to fill in the blank.

We haven't been to Delhi \_\_\_\_ almost five years.

(a) to

- (b) since
- (c) from
- (d) for
- 118. Meaning of "Abrogate" is
  - (a) Abolish
- (b) Absorb
- (c) Abstract
- (d) Ablaze
- 119. Choose the best option that indicates the change of voice for the sentence given below:

They sent for a doctor because Pamela had fainted

- (a) Pamela fainted and a doctor was sent for
- (b) A doctor was sent for them because Pamela has fainted
- (c) A doctor was sent for because Pamela had fainted
- (d) Pamela had sent for a doctor because they had fainted
- 120. Antonym for "Spendthrift" is
  - (a) Profligate
- (b) Extravagant
- (c) Frugal
- (d) Squanderer

## **Answer Key NIMCET 2023**

#### **MATHEMATICS**

1	С	2	С	3	С	4	Α	5	В	6	С	7	D	8	С	9	С	10	В
11	В	12	В	13	Α	14	С	15	В	16	A	17	В	18	В	19	В	20	A
21	Α	22	В	23	Α	24	С	25	С	26	С	27	A	28	В	29	Α	30	Α
31	Α	32	В	33	С	34	С	35	Α	36	A	37	С	38	С	39	В	40	С
41	Α	42	Α	43	В	44	В	45	Α	46	С	47	С	48	В	49	В	50	С

#### ANALYTICAL ABILITY AND LOGICAL REASONING

51	С	52	D	53	В	54	С	55	D	56	В	57	Α	58	С	59	С	60	С
61	Α	62	D	63	A	64	В	65	С	66	В	67	В	68	В	69	D	70	С
71	Α	72	С	73	C	74	В	75	В	76	A	77	С	78	С	79	D	80	Α
81	В	82	С	83	A	84	D	85	В	86	С	87	D	88	D	89	С	90	Α

#### **COMPUTER AWARENESS**

91	D	92	В	93	A	94	В	95	Α	96	C	97	С	98	A	99	В	100	С
101	В	102	D	103	С	104	A	105	В	106	A	107	D	108	D	109	D	110	Α

#### **GENERAL ENGLISH**

	111	D	112	Α	113	A	114	В	115	D	116	Α	117	D	118	Α	119	С	120	С
--	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---