



ASPIRE STUDY

MCA ENTRANCE CLASSES By Shivam Gupta

JAMIA MILLIA ISLAMIA- 2017

ORIGINAL PAPER

- If $y = \tan^{-1} \left\{ \frac{1+x}{1-x} \right\}$, then $\frac{dy}{dx}$ is equal to
(a) $\frac{2}{1+x^2}$ (b) $\frac{1}{1+2x^2}$
(c) $\frac{1-x^2}{1+x^2}$ (d) $\frac{1}{1+x^2}$
- If $y = \log(\tan x)$, then $\frac{dy}{dx}$ is equal to
(a) $2 \operatorname{cosec} 2x$ (b) $2 \sec 2x$
(c) $2 \sin 2x$ (d) $2 \cos 2x$
- If $y = \cos^{-1} x$ and $z = \sin^{-1} \sqrt{1-x^2}$ then $\frac{dy}{dz}$ is equal to
(a) $\frac{1}{1-x^2}$ (b) 1
(c) $\frac{1}{1+x^2}$ (d) $\frac{x}{1-x^2}$
- If $y = e^{2x}$, then $\frac{d^2y}{dx^2} \cdot \frac{d^2x}{dy^2}$ is equal to
(a) $-2e^x$ (b) $-2e^{2x}$
(c) $-2e^{-2x}$ (d) $-2e^{-x}$
- If $\sqrt{x+y} + \sqrt{y-x} = \sqrt{2}$, then $\frac{d^2y}{dx^2}$ is equal to
(a) 1 (b) 2
(c) $1/2$ (d) -2
- $\lim_{x \rightarrow 0} \frac{1-\cos x}{x^2}$ is equal to
(a) 0 (b) $\frac{1}{2}$
(c) $\frac{1}{4}$ (d) 1
- $\lim_{x \rightarrow \infty} (x - \sqrt{x^2 + x})$ is equal to
(a) $\frac{1}{2}$ (b) 1
(c) -1 (d) $-\frac{1}{2}$
- $\int \frac{dx}{x \log x \log(\log x)}$ is equal to
(a) $\log x$ (b) $\log(\log x)$
(c) $\log(\log(\log x))$ (d) $(\log(\log x))^2$
- $\int x^x (1 + \log x) dx$ is equal to
(a) x^x (b) $x^x \log x$
(c) $\frac{x^x}{\log x}$ (d) $\frac{x^x}{a+x}$
- $\int_0^1 \frac{x}{(1-x)^{3/4}} dx$ is equal to
(a) $12/5$ (b) $-12/5$
(c) $16/5$ (d) $-16/5$
- Let A and B are two disjoint subsets of a universal set E . The $(A \cup B) \cap B'$ is equal to
(a) E (b) ϕ
(c) A (d) B
- $(A - B) - A$ is equal to
(a) ϕ (b) A
(c) B (d) $A \cap B$
- Let 10 is the cardinality of set A . The number of bijective mapping from set A to itself is
(a) 10 (b) 55
(c) 100 (d) 3628800
- Let n be a positive decimal integer. The number of digits in n is equal to ...
(a) $\lceil \log_{10} n \rceil + 1$ (b) $\lfloor \log_{10} n \rfloor + 1$
(c) $\lceil \log_{10} n \rceil$ (d) $\lfloor \log_{10} n \rfloor$
- Let cardinality of the set A and B are 2 and 5 respectively. The number of relations from A to B is
(a) 1024 (b) 1000
(c) 1010 (d) 1025
- Let $f: R \rightarrow R, g: R \rightarrow R$ be two functions given by $f(x) = 2x - 3$ and $g(x) = x/2$. The $(f \circ g)^{-1}(x)$ is equal to
(a) $\frac{x+3}{2}$ (b) $x + 3$
(c) $2x + 3$ (d) $2x - 4$
- Let $f: R \rightarrow R$ is defined by $f(x) = x^2 + 5$, then value of $f^{-1}(4)$ is equal to
(a) $+1$ (b) -1 (c) ϕ (d) 20
- If $g: R \rightarrow R$ is defined by $g(x) = x^2 - 2$, then value of $g^{-1}(23)$ is equal to
(a) ± 5 (b) 25 (c) ± 4 (d) 527
- Let cardinality of A and B are 3 and 10 respectively. The number of one one functions from A to B is.....



ASPIRE STUDY

MCA ENTRANCE CLASSES By Shivam Gupta

- (a) 2^{10} (b) 2^2 (c) 101 (d) 720
20. Let $A = \{1, 2, 3, 4\}$ and $B = \{a, b\}$ are two sets. The number of subjective mappings from A to B is ...
(a) 14 (b) 16 (c) 2^8 (d) 8!
21. Let $z = \sqrt{3} + i$ be a complex number and \bar{z} be its conjugate. The $|\arg z| + |\arg \bar{z}|$ is equal to
(a) $\frac{\pi}{3}$ (b) $\frac{2\pi}{3}$ (c) $\frac{\pi}{6}$ (d) $\frac{\pi}{4}$
22. The $\frac{(\sqrt{3}+i)^{17}}{(1-i)^{50}}$ is equal to
(a) $\frac{-1-\sqrt{3}i}{2^9}$ (b) $\frac{1+\sqrt{3}i}{2^9}$
(c) $\frac{-1-\sqrt{3}i}{2^8}$ (d) $\frac{1+\sqrt{3}i}{2^8}$
23. For which of the following value of x , the $\left(\frac{1+i}{1-i}\right)^x = 1$ is
(a) 29 (b) 35 (c) 34 (d) 68
24. If ω is a cube root of unity, then the value of $(1 - \omega - \omega^2)(1 + \omega^3)$ is
(a) 2 (b) 4 (c) ω (d) ω^2
25. Let z be a complex number. Which of the following is a solution of $|z| - z = 1 + 2i$?
(a) $\frac{3}{2} + 2i$ (b) $2 - \frac{3}{2}i$
(c) $\frac{3}{2} - 2i$ (d) $2 + \frac{3}{2}i$
26. If $\sin \theta + \operatorname{cosec} \theta = 1$, then $\sin^n \theta + \operatorname{cosec}^n \theta$ is equal to
(a) 1 (b) 2 (c) 2^n (d) $2^n - 1$
27. The value of $\sin^6 x + \cos^6 x + 3 \sin^2 x \cos^2 x$ is equal to
(a) 3 (b) 2 (c) 1 (d) 0
28. If $x = a \cos^2 \theta \sin \theta$ and $y = a \sin^2 \theta \cos \theta$, then $(x^2 + y^2)^3$ is equal to
(a) $a^2 x^2$ (b) $a^2 x^2 y^2$
(c) $a^2 (y^2 - x^2)$ (d) $a^2 (x^2 - y^2)$
29. The minimum value of $3 \cos \theta + 4 \sin \theta + 10$ is equal to
(a) 5 (b) 9 (c) 7 (d) 3
30. $\sin 6^\circ \sin 42^\circ \sin 66^\circ \sin 78^\circ$ is equal to
(a) $\frac{1}{32}$ (b) $\frac{1}{16}$ (c) $\frac{1}{8}$ (d) $\frac{1}{4}$
31. If 20^{th} term of an AP is 30 and its 30^{th} term is 20, then the 10^{th} term is
(a) 40 (b) 10 (c) 20 (d) 30
32. Let sum of n terms of an AP is $2n(n-1)$, then the sum of their squares is
(a) $\frac{8n(n-1)(2n-1)}{3}$ (b) $\frac{8n(n-1)(2n-1)}{6}$
(c) $\frac{n(n+1)(2n+1)}{6}$ (d) $\frac{8n(n+1)(2n+1)}{3}$
33. For what value of x , the $\log_2(5.2^x + 1)$, $\log_4(2^{1-x} + 1)$ and 1 are in AP?
(a) $\log_2 5$ (b) $\log_5 2$
(c) $1 + \log_2 5$ (d) $1 - \log_2 5$
34. If the ratio of sum of m terms and n terms of an AP be $m^2 : n^2$, then the ratio of the m^{th} and n^{th} term will be
(a) $m : n$ (b) $2m - 1 : 2n - 1$
(c) $m + n : n + 1$ (d) $n : m$
35. The value of $9^{1/3} \times 9^{1/9} \times 9^{1/27} \times \dots \infty$ is
(a) 3 (b) 9 (c) 1 (d) ∞
36. If α and β are the roots of equation $x^2 + px + p^2 + q = 0$, then the value $\alpha^2 + \alpha\beta + \beta^2$
(a) p (b) $-p$ (c) q (d) $-q$
37. If the roots of $x^2 - bx + c = 0$ are two consecutive numbers, then $b^2 - 4c$ is equal to
(a) 1 (b) 2 (c) 3 (d) 4
38. The number of the real roots of the equation $(x-1)^2 + (x-2)^2 + (x-3)^2 = 0$ is ...
(a) 0 (b) 1 (c) 2 (d) 3
39. If the roots of the equation $(b-c)x^2 + (c-a)x + (a-b) = 0$ be equals, then a, b, c are in ...
(a) HP (b) GP
(c) AP (d) None of these
40. If the equations $x^2 + 2x + 3\lambda = 0$ and $2x^2 + 3x + 5\lambda = 0$ have a non-zero common root, then λ is equal to
(a) 1 (b) -1 (c) 2 (d) -2
41. If ${}^n P_r = {}^n P_{r+1}$ and ${}^n C_r = {}^n C_{r-1}$, then (n, r) is ...
(a) (2, 3) (b) (3, 2)
(c) (4, 3) (d) (3, 4)
42. The number of arrangements of the letters of the word BANANA in which the two N's do not appear adjacently is
(a) 40 (b) 60 (c) 80 (d) 100



ASPIRE STUDY

MCA ENTRANCE CLASSES By Shivam Gupta

43. The sum $(n + 1)$ terms of the series $\frac{c_0}{2} - \frac{c_1}{3} + \frac{c_2}{4} - \frac{c_3}{5} + \dots$ is
- (a) $\frac{1}{n+1}$ (b) $\frac{1}{n+2}$
(c) $\frac{1}{n(n+1)}$ (d) $\frac{1}{(n+1)(n+2)}$
44. If ω is a cube root of unity, then $\begin{vmatrix} 1 & \omega & \omega^2 \\ 1 & \omega^2 & 1 \\ \omega & 1 & \omega^2 \end{vmatrix}$ is equal to ...
- (a) ω (b) ω^2 (c) 0 (d) -3
45. If $A = \begin{bmatrix} x & 2 \\ 2 & x \end{bmatrix}$ and $|A^2| = 0$, then x is equal to ...
- (a) ± 2 (b) ± 3 (c) 1 (d) 4
46. Let $\vec{A} = i - j + k, \vec{C} = -i - j$ be two vectors. Which of the following is the vector \vec{B} such that $\vec{A} \times \vec{B} = \vec{C}$ and $\vec{A} \cdot \vec{B} = 1$?
- (a) i (b) k (c) $-j$ (d) $i + j$
47. A point P on y -axis is equidistance from the points $A(-5,4)$ and $B = (3, -2)$. Its coordinate is
- (a) $(0, \frac{3}{4})$ (b) $(0, \frac{4}{3})$
(c) $(0, \frac{3}{7})$ (d) $(0, \frac{7}{3})$
48. The area of the triangle with vertices $A(a, b + c), B(b, c + a), C(c, a + b)$ is equal to ...
- (a) 0 (b) $ab + bc + ca$
(c) $a + b + c$ (d) $a + b - c$
49. Two dices are thrown simultaneously. The probability of obtaining a total score of 5 is ...
- (a) $\frac{1}{12}$ (b) $\frac{1}{36}$ (c) $\frac{1}{9}$ (d) $\frac{1}{8}$
50. Three of the six vertices of a regular hexagon are chosen at random. The probability that triangle formed with these chosen vertices is equilateral, equal to
- (a) $\frac{1}{2}$ (b) $\frac{1}{10}$ (c) $\frac{1}{5}$ (d) $\frac{1}{20}$
51. Minimum number of two-input NAND gates used to perform the function of two-input OR gate is ...
- (a) One (b) Two
(c) Three (d) Four
52. The time required for an electronic circuit to change its state is called
- (a) Propagation time (b) Rise Time
(c) Decay Time (d) Changing Time
53. Which of the following is not equivalent to x ?
- (a) $x \cdot x$ (b) $x + x$
(c) $x \cdot 1$ (d) $x + 1$
54. Which of the following is a sequential circuit?
- (a) Adder (b) Decoder
(c) Multiplexer (d) Flip Flop
55. Which of the following will be the number of output lines in a combinational circuit that takes input a two bit number and produce the output cube of it?
- (a) 3 (b) 4 (c) 5 (d) 6
56. Which of the following is a web browser?
- (a) Avira (b) TrustPort
(c) Opera (d) None of these
57. Which of the following is an operating system?
- (a) Baidu (b) Symbian
(c) AVG (d) None of these
58. Which of the following is antivirus software?
- (a) Symbian (b) Norton
(c) AVG (d) None of these
59. Which of the following is a web search engine?
- (a) Opera (b) Symbian
(c) AVG (d) None of these
60. Which of the following is a social media website?
- (a) Instagram (b) Norton
(c) Symbian (d) None of these
61. z/OS is a
- (a) PC operating system
(b) Mainframe operating system
(c) Mobile operating system
(d) None of these
62. Which of the following is a mobile operating system?
- (a) Palm operating system
(b) AVG
(c) BeOS
(d) None of these
63. Intel 8086 is a bit microprocessor.
- (a) 4 (b) 8 (c) 16 (d) 32
64. Which of the following is mainframe computer?
- (a) Vtech (b) Rabbit
(c) Dubna (d) IBM System/360



ASPIRE STUDY

MCA ENTRANCE CLASSES By Shivam Gupta

65. Wellwer is a
(a) Operating System (b) Microprocessor
(c) Mobile company (d) None of these
66. If $(500)_{10} = (x)_5$, then x is equal to
(a) 400 (b) 4000
(c) 1000 (d) None of these
67. If $(780)_{10} = (1056)_x$, then x is equal to
(a) 7 (b) 5 (c) 8 (d) 9
68. If $(2?1)_7 = (120)_{10}$, then the missing digit is
(a) 1 (b) 2 (c) 3 (d) 4
69. The 2's complement of the binary number $(0110100)_2$ is
(a) 1001100 (b) 1101100
(c) 1111100 (d) 1101011
70. The 2's complement 10110010 represent the negative number in 8 bits system
(a) -50 (b) -78 (c) -77 (d) -51
71. Which of the following term is wrong in the series 2, 5, 8, 1, 61, 17, 20, ?
72. Which of the following term is wrong in the series 1, 4, 9, 16, 21, 36, 49?
(a) 6th (b) 5th (c) 4th (d) 3rd
73. Which of the following term is wrong in the series 1, 3, 6, 11, 15, 21, 28
(a) 1st (b) 2nd (c) 3rd (d) 4th
74. Which of the following is the next term of the series: $A_1B, BD_2, D_3G, GK_4, \dots$?
(a) K_5M (b) K_5P
(c) K_5O (d) K_5Q
75. Which of the following is the next term of the series: $C_1Z, D_3Y, E_5X, F_7W, \dots$?
(a) G_8V (b) $G_{10}V$
(c) G_9W (d) None of these
76. Which of the following is the next term of the series: ABZ, BDY, DFX, GHW, ... ?
(a) KJV (b) KIV (c) JJV (d) JIV
77. Which of the following is the next term of the series: CAT, EBS, GCR, IDQ ...?
(a) KFP (b) KEQ
(c) KEP (d) LEP
78. If '234' is coded to '11', then '123' is coded to ...
(a) 6 (b) 5 (c) 7 (d) 8
79. If '123456' is coded to '615', then '214652' is coded to ...
(a) 816 (b) 2134 (c) 613 (d) 713
80. $234 : 24 :: 235 : ?$
(a) 9 (b) 56 (c) 210 (d) 30
81. $123 : 9 :: 321 : ?$
(a) 5 (b) 9 (c) 8 (d) 6
82. Which of the following is code for CAT in a coding scheme in which JMI is coded as 32?
(a) 21 (b) 24 (c) 23 (d) 22
83. Which of the following is code for JMI in a coding scheme in which BAG is coded as 217?
(a) 10139 (b) 9128
(c) 10138 (d) 10129
84. If CAT mean 3, HE mean 2, DELHI mean 5, then SAD is
(a) 1 (b) 2 (c) 3 (d) 4
85. If $54 + 43 = 2$, $60 + 51 = 10$, $70 + 61 = 12$, then $72 + 62 = ?$
(a) 14 (b) 13 (c) 8 (d) 9
86. Which of the following is next number in the series 1, 3, 6, 11, 18, 29, ...?
(a) 39 (b) 40
(c) 41 (d) None of these
87. Which of the following is next number in the series 1, 8, 27, 64, 125, ...?
(a) 216 (b) 215
(c) 210 (d) None of these
88. Which of the following is next number in the series 3, 7, 13, 21, 31, ... ?
(a) 41 (b) 43
(c) 47 (d) None of these
89. Which of the following is next number in the series 1, 2, 6, 42, ...?
(a) 57 (b) 1805
(c) 1806 (d) None of these
90. Which of the following term is wrong in the series 1, 1, 2, 4, 5, 8, 13 ?
(a) 2nd (b) 4th (c) 5th (d) 3rd
91. There are views on the issue of giving bonus to the employees.
(a) independent (b) divergent
(c) modest (d) adverse



ASPIRE STUDY

MCA ENTRANCE CLASSES By *Shivam Gupta*

92. Before the of the Europeans in India, India was a free country.
(a) entry (b) emigration
(c) advent (d) immigration
93. Which of the following is correctly spelt English word?
(a) Delineate (b) Deleneat
(c) Dileneate (d) Deleneate
94. Which of the following is correctly spelt English word?
(a) Enemyty (b) Enemy
(c) Enmity (d) Enmety
95. Which of the following word is most nearly the same in meaning as the word AMAZING?
(a) Beautiful (b) Good
(c) Astonishing (d) Famous
96. Which of the following word is most nearly the same in meaning as the word BRAVE?
(a) Courageous (b) Serene
(c) Aloof (d) Sob
97. Which of the following word is most nearly the same in meaning as the word DILIGENT?
(a) Fool (b) Unhappy
(c) Hardworking (d) Cool
98. Which of the following word is most nearly the opposite in meaning as the word ABSTAIN?
(a) Refrain (b) Desist
(c) Hoard (d) Begin
99. Which of the following word is most nearly the opposite in the meaning as the word MITIGATE?
(a) Aggravate (b) Reduce
(c) Weaken (d) Ease
100. Which of the following word is most nearly the opposite in the meaning as the word AMBIGUOUS?
(a) Opaque (b) Clear
(c) Obscure (d) Vague

Aspire Study MCA Entrance Classes Kanpur

Classroom Program

**Add: 11 No. Crossing, Gurdev
Palace, Kanpur, 208024**

Online Course

www.aspirestudy.in
www.mcaclasses.in
www.youtube.com/aspirestudy

Contact Us

8400072444, 7007286637
aspirestudy2016@gmail.com

Add :Lakhanpur (Nr. Petrol Pump), Gurdev, Kanpur

8400072444
7007286637